



जवाहरलाल नेहरू विश्वविद्यालय
JAWAHARLAL NEHRU UNIVERSITY
नई दिल्ली - ११००६७
NEW DELHI - 110067

No. 01/Admin./Corona (COVID-19)/Misc./2020/

Date: 28th October 2020

CORREGENDUM-1

Subject: Notification dated 21.10.2020 regarding re-opening of the University.

In partial modification notification no. 01/Admin./Corona(COVID-19)/Misc./2020 dated 21.10.2020 notifying therein guidelines for re-opening of the University. The Clause (C) 5, page 2 of the order requires mandatory installation of Aarogya Setu by students and employees of the University. It reads as "every individual working in the university as an employee or a student should have the Aarogya Setu app on their phones. Use of Aarogya Setu by all on campus is mandatory. If unsafe status of Aarogya Setu App is displayed, he/she will not be allowed to enter the University campus." The undermention amendment has been included in the above notification. The above provision may now read as:

"Aarogya Setu enables early identification of potential risk of infection, and thus acts as a shield for individuals and the community. With a view to ensuring safety in offices and work places, labs, employees and student on best effort basis should ensure that Aarogya Setu is installed by all employees /students having compatible mobile phones. The Head of department/Deans/Chairperson of the Centre/special Centre etc may advise individuals to install the Aarogya Setu application on compatible mobile phones and regularly update their health status on the app. This will facilitate timely provision of medical attention to those individuals who are at risk."

The other terms and conditions remain the same as per earlier notification dated 21.10.2020.

This issues with the approval of the Competent Authority.

[Dr. Pramod Kumar]
Registrar

Circulation:

1. All concerned
2. Director, CIS – with the request to display the above circular in the University Website/e-office/other online platforms.